

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits  | Search Query  | DBs               | Default Operator | Plurals | Time Stamp          |
|-------|-------|---|-------------------|------------------|---------|---------------------|
| L1    | 12213 | (encrypt\$7 encipher\$9 encod\$3 crypto\$9 cipher\$9) near6 (packet\$1 datagram\$1)   | USPAT;<br>IBM_TDB | OR               | ON      | 2010/07/22<br>12:26 |
| L2    | 6033  | (cod\$3 watermark\$3 signature\$1) near6 (determin\$8 decid\$3 decision\$1 whether if) near6 (encrypt\$7 encipher\$9 encod\$3 crypto\$9 cipher\$9)                            | USPAT;<br>IBM_TDB | OR               | ON      | 2010/07/22<br>12:26 |
| L3    | 46    | (copy\$3 inhibit\$4) near4 (cod\$3 watermark\$3 signature\$1) near6 (determin\$8 decid\$3 decision\$1 whether if) near6 (encrypt\$7 encipher\$9 encod\$3 crypto\$9 cipher\$9) | USPAT;<br>IBM_TDB | OR               | ON      | 2010/07/22<br>12:26 |
| L4    | 35    | L3 and (message\$1 packet\$1 datagram\$1)   | USPAT;<br>IBM_TDB | OR               | ON      | 2010/07/22<br>12:26 |
| L5    | 492   | L2 and (data near4 flag\$3)   | USPAT;<br>IBM_TDB | OR               | ON      | 2010/07/22<br>12:26 |
| L6    | 74    | (copy\$3 inhibit\$4 watermark\$3 signature\$1 privacy prohibit\$4) near7 (cod\$3 instruct\$4) near7 (data near4 flag\$3)  | USPAT;<br>IBM_TDB | OR               | ON      | 2010/07/22<br>12:26 |
| L7    | 22    | L2 and L6   | USPAT;<br>IBM_TDB | OR               | ON      | 2010/07/22<br>12:26 |

|     |       |  |                   |    |     |                     |
|-----|-------|--|-------------------|----|-----|---------------------|
| L8  | 513   | (copy\$3 inhibit\$4 watermark\$3 signature\$1 privacy prohibit\$4) near7 (cod\$3 instruct\$4) near7 (flag\$3)  | USPAT;<br>IBM_TDB | OR | ON  | 2010/07/22<br>12:26 |
| L9  | 29    | L5 and L8  | USPAT;<br>IBM_TDB | OR | ON  | 2010/07/22<br>12:26 |
| L10 | 500   | (inhibit\$4 privacy prohibit\$4) near7 (bit\$2 byte\$1 cod \$3 instruct\$4) near7 (flag\$3)  | USPAT;<br>IBM_TDB | OR | ON  | 2010/07/22<br>12:26 |
| L11 | 6647  | (cod\$3 watermark \$3 signature\$1 flag \$1) near6 (determin\$8 decid \$3 decision\$1 whether if) near6 (encrypt\$7 encipher\$9 encod \$3 crypto\$9 cipher \$9)  | USPAT;<br>IBM_TDB | OR | ON  | 2010/07/22<br>12:26 |
| L12 | 24    | L10 and L11  | USPAT;<br>IBM_TDB | OR | ON  | 2010/07/22<br>12:26 |
| L13 | 350   | (replac\$5 modif\$8 chang\$3) near5 (inhibit\$4 prohibit \$4) near3 (cod\$3 flag\$3)   | USPAT;<br>IBM_TDB | OR | ON  | 2010/07/22<br>12:26 |
| L14 | 11    | L13 and L1   | USPAT;<br>IBM_TDB | OR | ON  | 2010/07/22<br>12:26 |
| L15 | 12382 | ((705/50) or (705/51) or (705/57) or (705/62) or (726/2) or (726/4-7) or (726/13) or (726/18-19) or (726/26-27) or (726/30) or (726/32) or (713/160) or (713/165) or (713/189) or (380/1) or (380/200-203) or (380/208) or | USPAT;<br>IBM_TDB | OR | OFF | 2010/07/22<br>12:26 |

|     |       |  |                                     |    |    |                     |
|-----|-------|--|-------------------------------------|----|----|---------------------|
|     |       | (380/237) or<br>(380/239) or<br>(380/255) or<br>(380/37) or<br>(380/28-30)).<br>CCLS.  |                                     |    |    |                     |
| L16 | 460   | L15 and (data<br>near3 flag\$1)  | USPAT;<br>IBM_TDB                   | OR | ON | 2010/07/22<br>12:26 |
| L17 | 104   | L16 and ((prohibit<br>\$4 inhibit\$4<br>watermark\$3)<br>near5 (cop\$3 cod<br>\$3 flag\$3))  | USPAT;<br>IBM_TDB                   | OR | ON | 2010/07/22<br>12:26 |
| L18 | 98    | L17 and (encrypt<br>\$7 encipher\$9<br>encod\$3 crypto\$9<br>cipher\$9)  | USPAT;<br>IBM_TDB                   | OR | ON | 2010/07/22<br>12:26 |
| L19 | 15535 | (transmit\$4 send<br>\$3 communicat\$4<br>deliver\$3 sent<br>transmission)<br>near7 (encrypt\$7<br>encipher\$9 encod<br>\$3 crypto\$9 cipher<br>\$9) near7 (packet<br>\$1 datagram\$1<br>message\$1) | USPAT;<br>IBM_TDB                   | OR | ON | 2010/07/22<br>12:26 |
| L20 | 92    | L19 and (inhibit\$4<br>near4 code\$1)  | USPAT;<br>IBM_TDB                   | OR | ON | 2010/07/22<br>12:26 |
| L21 | 146   | (replac\$6 swap\$4<br>chang\$3 alter\$3<br>switch\$3 different<br>another\$1) near4<br>(inhibit\$4 near4<br>code\$1)   | USPAT;<br>IBM_TDB                   | OR | ON | 2010/07/22<br>12:26 |
| L22 | 1     | L19 and L21  | USPAT;<br>IBM_TDB                   | OR | ON | 2010/07/22<br>12:26 |
| L23 | 32359 | (encrypt\$7<br>encipher\$9 encod<br>\$3 crypto\$9 cipher<br>\$9) near7 (packet<br>\$1 datagram\$1<br>message\$1)   | USPAT;<br>IBM_TDB                   | OR | ON | 2010/07/22<br>12:26 |
| L26 | 226   | ito near3 yujiro   | US-PGPUB;<br>USPAT; JPO;<br>IBM_TDB | OR | ON | 2010/07/22<br>12:35 |

|     |    |  |                                     |    |    |                     |
|-----|----|--|-------------------------------------|----|----|---------------------|
| L27 | 17 | shimosato near3<br>tsutomu                 | US-PGPUB;<br>USPAT; JPO;<br>IBM_TDB | OR | ON | 2010/07/22<br>12:35 |
| L28 | 5  | (26 27) and (inhibit<br>\$4 near4 code\$1) | US-PGPUB;<br>USPAT; JPO;<br>IBM_TDB | OR | ON | 2010/07/22<br>12:36 |

**7/ 22/ 10 12:37:00 PM**

**C:\ Documents and Settings\ LHa\ My Documents\ EAST\ Workspaces\ 10552185.wsp**